

## EAST Search History

| Ref # | Hits   | Search Query   | DBs               | Default Operator | Plurals | Time Stamp          |
|-------|--------|--|-------------------|------------------|---------|---------------------|
| L1    | 123544 | (imag\$3 mpeg<br>picture\$1 video\$1)<br>near5 (ram memor<br>\$4 storage\$3 )                        | USPAT;<br>IBM_TDB | OR               | OFF     | 2008/05/26<br>14:03 |
| L2    | 1610   | catalog\$1 near3 (file<br>\$1 document\$1)   | USPAT;<br>IBM_TDB | OR               | OFF     | 2008/05/26<br>14:03 |
| L3    | 227    | L1 and L2  | USPAT;<br>IBM_TDB | OR               | OFF     | 2008/05/26<br>14:03 |
| L4    | 24     | L3 and hash\$3   | USPAT;<br>IBM_TDB | OR               | OFF     | 2008/05/26<br>14:03 |
| L5    | 2406   | L1 and hash\$1   | USPAT;<br>IBM_TDB | OR               | OFF     | 2008/05/26<br>14:03 |
| L6    | 3135   | L1 and hash\$3   | USPAT;<br>IBM_TDB | OR               | OFF     | 2008/05/26<br>14:03 |
| L7    | 745    | L6 and boot\$3   | USPAT;<br>IBM_TDB | OR               | OFF     | 2008/05/26<br>14:03 |
| L8    | 242    | L7 and catalog   | USPAT;<br>IBM_TDB | OR               | OFF     | 2008/05/26<br>14:03 |
| L9    | 242    | L8 and L1  | USPAT;<br>IBM_TDB | OR               | OFF     | 2008/05/26<br>14:03 |
| L10   | 57     | L9 and ram   | USPAT;<br>IBM_TDB | OR               | OFF     | 2008/05/26<br>14:03 |
| L11   | 52     | L10 and signature\$1   | USPAT;<br>IBM_TDB | OR               | OFF     | 2008/05/26<br>14:03 |
| L12   | 52     | L11 and (validat\$6<br>compar\$4 match\$4<br>certif\$9 authoris\$9<br>authentical\$4)                | USPAT;<br>IBM_TDB | OR               | OFF     | 2008/05/26<br>14:03 |
| L13   | 1      | L12 and (bootload\$4<br>(boot\$3 near3 load<br>\$3) boot-load\$3)                                    | USPAT;<br>IBM_TDB | OR               | OFF     | 2008/05/26<br>14:03 |
| L14   | 1126   | image\$1 near6 boot<br>\$5 near5 (computer<br>\$1 device\$1 system<br>\$1 node\$1<br>workstation\$1) | USPAT;<br>IBM_TDB | OR               | OFF     | 2008/05/26<br>14:03 |
| L15   | 273    | L14 and (bootload\$4<br>(boot\$3 near3 load<br>\$3) boot-load\$3)                                    | USPAT;<br>IBM_TDB | OR               | OFF     | 2008/05/26<br>14:03 |
| L16   | 71     | L15 and signature\$1   | USPAT;<br>IBM_TDB | OR               | OFF     | 2008/05/26<br>14:03 |

|     |        |   |                   |    |     |                     |
|-----|--------|---|-------------------|----|-----|---------------------|
| L17 | 469    | L6 and catalog  | USPAT;<br>IBM_TDB | OR | OFF | 2008/05/26<br>14:03 |
| L18 | 1      | L16 and catalog   | USPAT;<br>IBM_TDB | OR | OFF | 2008/05/26<br>14:03 |
| L19 | 469    | L17 and hash\$3   | USPAT;<br>IBM_TDB | OR | OFF | 2008/05/26<br>14:03 |
| L20 | 17     | L16 and hash\$3   | USPAT;<br>IBM_TDB | OR | OFF | 2008/05/26<br>14:03 |
| L21 | 10643  | ((382/268) or<br>(358/3.28) or<br>(711/100) or<br>(711/101) or<br>(711/104) or<br>(711/163) or<br>(711/216) or (726/2)<br>or (726/26) or<br>(726/27) or (713/1)<br>or (713/2) or<br>(713/152) or<br>(713/165) or<br>(713/189) or<br>(380/202) or<br>(370/229) or<br>(370/255) or<br>(370/395.32)).CCLS. | USPAT;<br>IBM_TDB | OR | OFF | 2008/05/26<br>14:03 |
| L22 | 1406   | L21 and (hash\$3)   | USPAT;<br>IBM_TDB | OR | OFF | 2008/05/26<br>14:03 |
| L23 | 325    | L22 and (boot\$7)   | USPAT;<br>IBM_TDB | OR | OFF | 2008/05/26<br>14:03 |
| L24 | 147389 | (load\$3 stor\$4 input<br>\$4 plac\$3 put\$3<br>image\$1) near5 (ram<br>\$1 (random\$2 near4<br>memor\$3))  | USPAT;<br>IBM_TDB | OR | OFF | 2008/05/26<br>14:03 |
| L25 | 141    | L24 and L23   | USPAT;<br>IBM_TDB | OR | OFF | 2008/05/26<br>14:03 |
| L26 | 63     | L25 and image\$1  | USPAT;<br>IBM_TDB | OR | OFF | 2008/05/26<br>14:03 |
| L27 | 13     | L26 and catalog\$5  | USPAT;<br>IBM_TDB | OR | OFF | 2008/05/26<br>14:03 |
| L28 | 2160   | (image\$1 video\$1<br>mpeg\$1 content\$1)<br>near4 catalog\$5   | USPAT;<br>IBM_TDB | OR | OFF | 2008/05/26<br>14:03 |
| L29 | 22174  | (image\$1 video\$1<br>mpeg\$1) near5 (ram<br>\$1 (random\$2 near4<br>memor\$3))   | USPAT;<br>IBM_TDB | OR | OFF | 2008/05/26<br>14:03 |

|     |      |   |                   |    |     |                     |
|-----|------|---|-------------------|----|-----|---------------------|
| L30 | 140  | L28 and L29   | USPAT;<br>IBM_TDB | OR | OFF | 2008/05/26<br>14:03 |
| L31 | 11   | L23 and L28   | USPAT;<br>IBM_TDB | OR | OFF | 2008/05/26<br>14:03 |
| L32 | 27   | L30 and (hash\$3)   | USPAT;<br>IBM_TDB | OR | OFF | 2008/05/26<br>14:03 |
| L33 | 11   | L32 and (boot\$7)   | USPAT;<br>IBM_TDB | OR | OFF | 2008/05/26<br>14:03 |
| L34 | 138  | (image\$1 video\$1<br>mpeg\$1 content\$1)<br>near4 catalog\$5<br>near4 file\$1  | USPAT;<br>IBM_TDB | OR | OFF | 2008/05/26<br>14:03 |
| L35 | 27   | L34 and embed\$3  | USPAT;<br>IBM_TDB | OR | OFF | 2008/05/26<br>14:03 |
| L36 | 16   | L35 and image\$1  | USPAT;<br>IBM_TDB | OR | OFF | 2008/05/26<br>14:03 |
| L37 | 8    | (image\$1 video\$1<br>mpeg\$1 content\$1)<br>with catalog\$5 with<br>embed\$3   | USPAT;<br>IBM_TDB | OR | OFF | 2008/05/26<br>14:03 |
| L38 | 43   | L21 and L28   | USPAT;<br>IBM_TDB | OR | OFF | 2008/05/26<br>14:03 |
| L39 | 10   | L29 and L38   | USPAT;<br>IBM_TDB | OR | OFF | 2008/05/26<br>14:03 |
| L40 | 25   | hash\$3 near5 catalog<br>\$6  | USPAT;<br>IBM_TDB | OR | OFF | 2008/05/26<br>14:03 |
| L41 | 15   | mark near3 kraus  | USPAT;<br>IBM_TDB | OR | ON  | 2008/05/26<br>14:03 |
| L42 | 0    | prabhu near3<br>sudhaker  | USPAT;<br>IBM_TDB | OR | ON  | 2008/05/26<br>14:03 |
| L43 | 2790 | (boot near3 load\$3)<br>bootload\$3 boot-load<br>\$3  | USPAT;<br>IBM_TDB | OR | OFF | 2008/05/26<br>14:06 |
| L44 | 91   | 43 near8 ((secur\$6<br>protect\$3 safe trust<br>\$3 authoris\$9<br>certified) near3<br>(storage\$1 memor\$3<br>nonvolatile\$1 non-<br>volatile\$1 ram rom<br>eprom eeprom)) | USPAT;<br>IBM_TDB | OR | OFF | 2008/05/26<br>14:08 |

|     |      |   |                |    |     |                  |
|-----|------|---|----------------|----|-----|------------------|
| L45 | 103  | (os (operating near3 system\$1) image\$1) near8 ((unsecur\$6 unprotect\$3 unsafe untrust\$3 unauthori\$9 uncertified nonsecur\$4 non-secur\$4 nonprotect \$4 non-protect\$4 non-safe insecur\$6) near3 (storage\$1 memor\$3 nonvolatile \$1 non-volatile\$1 ram rom eeprom eeprom))                               | USPAT; IBM_TDB | OR | OFF | 2008/05/26 14:11 |
| L46 | 233  | (determin\$8 decid\$3 decision\$1 whether if boot\$7 image\$1 updat\$3) near8 ((unsecur\$6 unprotect\$3 unsafe untrust\$3 unauthori\$9 uncertified nonsecur\$4 non-secur\$4 nonprotect \$4 non-protect\$4 non-safe insecur\$6) near3 (storage\$1 memor\$3 nonvolatile \$1 non-volatile\$1 ram rom eeprom eeprom)) | USPAT; IBM_TDB | OR | OFF | 2008/05/26 14:15 |
| L47 | 6743 | image near3 updat \$3   | USPAT; IBM_TDB | OR | OFF | 2008/05/26 14:15 |
| L48 | 0    | 44 and 45 and 46  | USPAT; IBM_TDB | OR | OFF | 2008/05/26 14:15 |
| L49 | 2    | 44 and 45   | USPAT; IBM_TDB | OR | OFF | 2008/05/26 14:16 |
| L50 | 3    | 44 and 47   | USPAT; IBM_TDB | OR | OFF | 2008/05/26 14:16 |
| L51 | 136  | 43 and 47   | USPAT; IBM_TDB | OR | OFF | 2008/05/26 14:31 |
| L52 | 26   | 51 and ((secur\$6 protect\$3 safe trust \$3 authori\$9 certified) near3 (storage\$1 memor\$3 nonvolatile\$1 non-volatile\$1 ram rom eeprom eeprom))   | USPAT; IBM_TDB | OR | OFF | 2008/05/26 14:31 |

|     |     |   |                |    |     |                  |
|-----|-----|---|----------------|----|-----|------------------|
| L53 | 4   | 52 and ((unsecur\$6 unprotected\$3 unsafe untrust\$3 unauthoriz\$9 uncertified nonsecur\$4 non-secur\$4 nonprotect\$4 non-protected\$4 non-safe insecur\$6) near3 (storage\$1 memor\$3 nonvolatile\$1 non-volatile\$1 ram rom eeprom eeprom))   | USPAT; IBM_TDB | OR | OFF | 2008/05/26 14:31 |
| L54 | 4   | (os (operating near3 system\$1) image\$1) and 53  | USPAT; IBM_TDB | OR | OFF | 2008/05/26 14:32 |
| L56 | 15  | 47 and 46   | USPAT; IBM_TDB | OR | OFF | 2008/05/26 14:59 |
| L57 | 1   | 43 and 56   | USPAT; IBM_TDB | OR | OFF | 2008/05/26 15:00 |
| L58 | 234 | (determin\$8 decid\$3 decision\$1 whether if boot\$7 image\$1 updat\$3) near8 ((unsecur\$6 unprotected\$3 unsafe untrust\$3 unauthoriz\$9 uncertified nonsecur\$4 non-secur\$4 nonprotect\$4 non-protect\$4 non-safe insecur\$6 unauthoriz\$9 nonauthoriz\$9 non-authoriz\$9) near3 (storage\$1 memor\$3 nonvolatile\$1 non-volatile\$1 ram rom eeprom eeprom)) | USPAT; IBM_TDB | OR | OFF | 2008/05/26 15:03 |
| L59 | 15  | 58 and 47   | USPAT; IBM_TDB | OR | OFF | 2008/05/26 15:03 |
| L60 | 1   | 43 and 59   | USPAT; IBM_TDB | OR | OFF | 2008/05/26 15:04 |

|     |    |   |                |    |     |                  |
|-----|----|---|----------------|----|-----|------------------|
| L61 | 14 | 52 and ((unsecur\$6 unproted\$3 unsafe untrust\$3 unauthoris\$9 uncertified nonsecur\$4 non-secur\$4 nonprotect \$4 non-protected\$4 non-safe insecur\$6 unauthoris\$9 nonauthoris\$9 non-authoris\$9 ) | USPAT; IBM_TDB | OR | OFF | 2008/05/26 15:05 |
|-----|----|---|----------------|----|-----|------------------|

5/26/08 4:10:12 PM

C:\ Documents and Settings\ LHa\ My Documents\ EAST\ Workspaces\ 10727479.wsp